RECEIVED CENTRAL FAX CENTER

OCT 2 7 2003

PATENT

Appl. No. 09/832,510
Amdt. dated 10/27/2003
Amendment under 37 CFR 1.116 Expedited Procedure

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-6 (Canceled).

- 7. (Previously presented) A method for detecting a nucleic acid in a biological sample, wherein the nucleic acid encodes a peptide capable of specifically binding to a Lym-1 antibody, the method comprising the following steps, in the following order:
- (a) contacting the sample with an oligonucleotide primer pair capable of amplifying a subsequence of an MHC nucleic acid, which subsequence encodes a polypeptide having a sequence comprising $R_1 R_2 R_3 R_4 R_5 R_6 R_7 R_8 R_9 R_{10} R_{11} R_{12} R_{13} R_{14} R_{15} R_{16}$, wherein R_1 is Gln, Lys, or Arg; R_2 is Arg; R_3 and R_4 are members independently selected from the group consisting of all amino acids; R_5 is Ala, Glu, Asp, Val, Leu or Ile; R_6 and R_7 are members independently selected from the group consisting of all amino acids; R_8 is Thr; R_9 , R_{10} , R_{11} , R_{12} , R_{13} , R_{14} , and R_{15} are members independently selected from the group consisting of all amino acids; and, R_{16} is Val (SEQ ID NO:2),
 - (b) amplifying the nucleic acid; and
 - (c) detecting the amplified nucleic acid.
- 8. (Previously presented) The method of claim 7, wherein the MHC nucleic acid is HLA-DR 10.
- 9. (Previously presented) The method of claim 7, wherein the subsequence encodes a peptide wherein R₁ is Gln, Lys, or Arg; R₂ is Arg; R₃ is Arg; R₄ is Ala; R₅ is Ala; R₆ is Val; R₇ is Asp; R₈ is Thr; R₉ is Tyr; R₁₀ is Cys; R₁₁ is Arg; R₁₂ is His; R₁₃ is Asn; R₁₄ is Tyr; R₁₅ is Gly, and R₁₆ is Val (SEQ ID NO:2).

PATENT

Appl. No. 09/832,510 Amdt. dated 10/27/2003 Amendment under 37 CFR 1.116 Expedited Procedure

- (Original) The method of claim 7, wherein the biological sample 10. comprises a B cell.
- (Original) The method of claim 10, wherein the B cell is a B lymphocytic 11. non-Hodgkin's lymphoma cell.
- (Original) The method of claim 11, wherein the non-Hodgkin's 12. lymphoma cell is selected from the group consisting of a B-cell chronic lymphocytic leukemia/small lymphocytic lymphoma (B-CCL/SLL) cell, a lymphoplasmacytoid lymphoma (LPL) cell, a follicular lymphoma (FL) cell, a mucosa-associated lymphoid tissue lymphoma (MALTL) cell, a splenic lymphoma with villous lymphocytes (SLVL) cell and a mantle cell lymphoma cell.
- (Original) The method of claim 7, wherein the biological sample is a body 13 fluid sample or a biopsy sample.
- (Original) The method of claim 13, wherein the body fluid sample is a 14. blood sample.
- (Previously presented) A kit for detecting a nucleic acid in a biological 15. sample, wherein the nucleic acid encodes a peptide capable of specifically binding to a Lym-1 antibody, comprising an oligonucleotide primer pair capable of amplifying a subsequence of an MHC gene or gene product, which subsequence encodes a polypeptide comprising a peptide having a sequence comprising R_1 - R_2 - R_3 - R_4 - R_5 - R_6 - R_7 - R_8 - R_9 - R_{10} - R_{11} - R_{12} - R_{13} - R_{14} - R₁₅ - R₁₆, wherein R₁ is Gln, Lys, or Arg; R₂ is Arg; R₃ and R₄ are members independently selected from the group consisting of all amino acids; R5 is Ala, Glu, Asp, Val, Leu or Ile; R6 and R_7 are members independently selected from the group consisting of all amino acids; R_8 is

Appl. No. 09/832,510 Amdt. dated 10/27/2003

Amendment under 37 CFR 1.116 Expedited Procedure

PATENT

Thr; R_9 , R_{10} , R_{11} , R_{12} , R_{13} , R_{14} , and R_{15} are members independently selected from the group consisting of all amino acids; and, R_{16} is Val (SEQ ID NO:2).

- 16. (Previously presented) The kit of claim 15, wherein the MHC nucleic acid is HLA-DR 10.
- 17. (Previously presented) The kit of claim 15, wherein R₁ is Gln, Lys, or Arg; R₂ is Arg; R₃ is Arg; R₄ is Ala; R₅ is Ala; R₆ is Val; R₇ is Asp; R₈ is Thr; R₉ is Tyr; R₁₀ is Cys; R₁₁ is Arg; R₁₂ is His; R₁₃ is Asn; R₁₄ is Tyr; R₁₅ is Gly, and R₁₆ is Val (SEQ ID NO:2).
- 18. (Original) The kit of claim 15, further comprising an instructional material teaching a use of the kit, wherein the instructional material indicates that the kit is used for the detection of nucleic acid encoding a peptide reactive with a Lym-1 antibody and that the polypeptide is associated with non-Hodgkin's B cell lymphomas.

19 -34. (Canceled)

- 35. (Currently amended) A method for detecting a nucleic acid in a biological sample, wherein the nucleic acid encodes a peptide capable of specifically binding to a Lym-1 antibody, the method comprising the following steps, performed in the following order:
- (a) contacting the sample with an oligonucleotide primer pair capable of amplifying a subsequence of an MHC nucleic acid, which subsequence encodes a polypeptide having a sequence consisting essentially of R_1 R_2 R_3 R_4 R_5 R_6 R_7 R_8 R_9 R_{10} R_{11} R_{12} R_{13} R_{14} R_{15} R_{16} , wherein R_1 is Gln, Lys, or Arg; R_2 is Arg; R_3 and R_4 are members independently selected from the group consisting of all amino acids; R_5 is Ala, Glu, Asp, Val, Leu or Ile; R_6 and R_7 are members independently selected from the group consisting of all amino acids; R_8 is Thr; R_9 , R_{10} , R_{11} , R_{12} , R_{13} , R_{14} , and R_{15} are members independently selected from the group consisting of al' amino acids; and, R_{16} is Val (SEQ ID NO:2),
 - (b) amplifying the nucleic acid; and

Appl. No. 09/832,510 Amdt. dated 10/27/2003

Amendment under 37 CFR 1.116 Expedited Procedure

PATENT

- (c) detecting the amplified nucleic acid.
- (Previously presented) A method of claim 35, wherein the MHC nucleic 36. acid is HLA-DR 10.
- (Previously presented) The method of claim 35, wherein the subsequence 37. encodes a peptide wherein R₁ is Gln, Lys, or Arg; R₂ is Arg; R₃ is Arg; R₄ is Ala; R₅ is Ala; R₆ is Val; R7 is Asp; R8 is Thr; R9 is Tyr; R10 is Cys; R11 is Arg; R12 is His; R13 is Asn; R14 is Tyr; R15 is Gly, and R₁₆ is Val (SEQ ID NO:2).
- (Previously presented) The method of claim 35, wherein the biological 38. sample comprises a B cell.
- 39. (Previously presented) The method of claim 38, wherein the B cell is a B lymphocytic non-Hodgkin's lymphoma cell.
- (Previously presented) The method of claim 39, wherein the non-40. Hodgkin's lymphoma cell is selected from the group consisting of a B-cell chronic lymphocytic leukemia/small lymphocytic lymphoma (B-CCL/SLL) cell, a lymphoplasmacytoid lymphoma (LPL) cell, a follicular lymphoma (FL) cell, a mucosa-associated lymphoid tissue lymphoma (MALTL) cell, a splenic lymphoma with villous lymphocytes (SLVL) cell and a mantle cell lymphoma cell.
- 41. (Previously presented) The method of claim 35, wherein the biological sample is a body fluid sample or a biopsy sample.
- 42 (Previously presented) The method of claim 41, wherein the body fluid sample is a blood sample.

PATENT

Appl. No. 09/832,510 Amdt. dated 10/27/2003 Amendment under 37 CFR 1.116 Expedited Procedure

- sample, wherein the nucleic acid encodes a peptide capable of specifically binding to a Lym-1 antibody, comprising an oligonucleotide primer pair capable of amplifying a subsequence of an MHC gene or gene product, which subsequence encodes a polypeptide consisting essentially of a sequence comprising $R_1 R_2 R_3 R_4 R_5 R_6 R_7 R_8 R_9 R_{10} R_{11} R_{12} R_{13} R_{14} R_{15} R_{16}$, wherein R_1 is Gln, Lys, or Arg; R_2 is Arg; R_3 and R_4 are members independently selected from the group consisting of all amino acids; R_5 is Ala, Glu, Asp, Val, Leu or Ile; R_6 and R_7 are members independently selected from the group consisting of all amino acids; R_8 is Thr; R_9 , R_{10} , R_{11} , R_{12} , R_{13} , R_{14} , and R_{15} are members independently selected from the group consisting of all amino acids; and, R_{16} is Val (SEQ ID NO:2).
- 44. (Previously presented) The kit of claim 43, wherein the MHC nucleic acid is HLA-DR 10.
- 45. (Previously presented) The kit of claim 43, wherein R₁ is Gln, Lys, or Arg; R₂ is Arg; R₃ is Arg; R₄ is Ala; R₅ is Ala; R₆ is Val; R₇ is Asp; R₈ is Thr; R₉ is Tyr; R₁₀ is Cys; R₁₁ is Arg; R₁₂ is His; R₁₃ is Asn; R₁₄ is Tyr; R₁₅ is Gly, and R₁₆ is Val (SEQ ID NO:2).